


Furniture & Equipment Purchases: Considerations for Fire Life Safety, ADA, Path of Travel

Use this form for standalone furniture and plug-and-play equipment purchases only. See Facilities Services' website for details on purchasing partitions, cubicles, and non-plug-and-play equipment.



NOTES

- The "pull" side of the door requires 18" clearance
- The "push" side of the door requires 12" clearance
- Televisions, displays etc. in paths of travel and egress must have a depth less than 4". There are options available if equipment is unable to meet the less than 4" code requirement but would require additional review. Contact sowston@sdsu.edu.
- Furniture/equipment cannot be placed in corridors or attached to walls that share a corridor side Any item that must be attached to a wall (including earthquake bracing) must be further reviewed. Please see the Facilities Services website for additional directions on how to submit for review.

I hereby certify the furniture and/or equipment I am purchasing does not attach to any walls or floors, provides for the clearances noted above, does not block fire alarm pull stations, that all equipment is labeled by a [Nationally Recognized Testing Laboratory \(NRTL\)](#), does not require modifications to it or existing utilities and infrastructure, and that the equipment is not a fume hood, related to the use of chemicals, or related to the cooking of food. Direct all questions to Permitting & Code Enforcement via sowston@sdsu.edu.

Signature

Printed Name

Date